
		DEPARTMENT (	ATE OF UTAH OF NATURAL RES FOIL, GAS AND N				FORI			
APPLI	CATION FOR F			1. WELL NAME and	NUMBER te Tribal 2-16-5-2E					
2. TYPE OF WORK  DRILL NEW WELL (	REENTER P&A	WELL DEEPEN	N WELL			3. FIELD OR WILD	CAT UNDESIGNATED			
4. TYPE OF WELL Oil We	ell Coalbed	d Methane Well: NO				5. UNIT or COMMU	NITIZATION AGRE	EMENT NAME		
6. NAME OF OPERATOR	WFIELD PRODUCT	TION COMPANY				7. OPERATOR PHO	NE 435 646-4825			
8. ADDRESS OF OPERATOR	t 3 Box 3630 , My	ton, UT, 84052				9. OPERATOR E-MA				
10. MINERAL LEASE NUMBER		11. MINERAL OWNER	RSHIP	_		12. SURFACE OWN				
(FEDERAL, INDIAN, OR STATE) 20G0005609		FEDERAL INDI	AN 📵 STATE (	FEE(		FEDERAL IN	DIAN 📵 STATE (	FEE (		
13. NAME OF SURFACE OWNER (if box 12	= 'fee')					14. SURFACE OWN	ER PHONE (if box 1	2 = 'fee')		
15. ADDRESS OF SURFACE OWNER (if box	12 = 'fee')					16. SURFACE OWN	ER E-MAIL (if box 1	.2 = 'fee')		
17. INDIAN ALLOTTEE OR TRIBE NAME		18. INTEND TO COMI		ION FROM		19. SLANT				
(if box 12 = 'INDIAN') Ute Tribe			ommingling Applicat	ion) NO 🗓		VERTICAL DI	RECTIONAL ( HO	ORIZONTAL 🗐		
20. LOCATION OF WELL	FOO	FOOTAGES QTR-QTR SECTION				TOWNSHIP	RANGE	MERIDIAN		
LOCATION AT SURFACE	675 FNL	1628 FEL	NWNE	16		5.0 S	2.0 E	U		
Top of Uppermost Producing Zone	675 FNL	1628 FEL	NWNE	16		5.0 S	2.0 E	U		
At Total Depth	675 FNL	1628 FEL	NWNE	16		5.0 S	2.0 E	U		
21. COUNTY UINTAH		22. DISTANCE TO NE	AREST LEASE LIN	IE (Feet)		23. NUMBER OF ACRES IN DRILLING UNIT				
		25. DISTANCE TO NE (Applied For Drilling		AME POOL		<b>26. PROPOSED DEPTH</b> MD: 6035 TVD: 6035				
27. ELEVATION - GROUND LEVEL		28. BOND NUMBER				29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE				
4731			WYB000493	43-7478						
		АТ	TACHMENTS							
VERIFY THE FOLLOWING	ARE ATTACHE	D IN ACCORDANC	CE WITH THE U	TAH OIL A	AND G	GAS CONSERVATI	ON GENERAL RU	ILES		
<b>▼</b> WELL PLAT OR MAP PREPARED BY	LICENSED SURV	EYOR OR ENGINEER	сом	COMPLETE DRILLING PLAN						
AFFIDAVIT OF STATUS OF SURFACE	OWNER AGREE	MENT (IF FEE SURFA	ACE) FOR	M 5. IF OPE	RATO	R IS OTHER THAN T	HE LEASE OWNER			
DIRECTIONAL SURVEY PLAN (IF DID DRILLED)	RECTIONALLY O	R HORIZONTALLY	<b>№</b> торо	OGRAPHIC!	AL MAF	•				
NAME Mandie Crozier		TITLE Regulatory To	ech		PHON	NE 435 646-4825				
SIGNATURE		<b>DATE</b> 11/13/2009			EMAI	L mcrozier@newfield	.com			
API NUMBER ASSIGNED 43047508140000		APPROVAL			B	2000				
			Pe	ermit Manager						

API Well No: 43047508140000 Received: 11/13/2009

	Prop	oosed Hole, Casing, a	nd Cement		
String	Hole Size	Casing Size	Top (MD)	Bottom (MD)	
Prod	7.875	5.5	0	6035	
Pipe	Grade	Length	Weight		
	Grade J-55 LT&C	6035	15.5		

API Well No: 43047508140000 Received: 11/13/2009

	Prop	oosed Hole, Casing, a	and Cement		
String	Hole Size	Casing Size	Top (MD)	Bottom (MD)	
Surf	12.25	8.625	0	300	
Pipe	Grade	Length	Weight		
	Grade J-55 ST&C	300	24.0		Г
					Г



## NEWFIELD PRODUCTION COMPANY UTE TRIBAL 2-16-5-2E NW/NE SECTION 16, T5S, R2E UINTAH COUNTY, UTAH

#### TEN POINT DRILLING PROGRAM

#### 1. GEOLOGIC SURFACE FORMATION:

Uinta formation of Upper Eocene Age

# 2. <u>ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS</u>:

Uinta 0 – 1,405' Green River 1,405' Wasatch 6,035'

#### 3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River Formation (Oil)  $1,405^{\circ} - 6,035^{\circ}$ 

Fresh water may be encountered in the Uinta Formation, but would not be expected below about 350'. All water shows and water bearing geologic units shall be reported to the geologic and engineering staff of the Vernal Office prior to running the next string of casing or before plugging orders are requested. All water shows must be reported within one (1) business day after being encountered.

All usable (<10,000 PPM TDS) water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling will be recorded by depth and adequately protected. This information shall be reported to the Vernal Office.

Detected water flows shall be sampled, analyzed, and reported to the geologic & engineering staff of the Vernal Office. The office may request additional water samples for further analysis. Usage of the State of Utah form *Report of Water Encountered* is acceptable, but not required.

The following information is requested for water shows and samples where applicable:

Location & Sampled Interval Date Sampled Flow Rate Temperature

Hardness pH

Water Classification (State of Utah)

Dissolved Iron (Fe) (ug/l)

Dissolved Magnesium (Mg) (mg/l)

Dissolved Bicarbonate (NaHCO<sub>3</sub>) (mg/l)

Dissolved Sulfate (SO<sub>4</sub>) (mg/l)

Dissolved Total Solids (TDS) (mg/l)

Ten Point Well Program & Thirteen Point Well Program Page 2 of 4

### 4. PROPOSED CASING PROGRAM

a. Casing Design: Ute Tribal 2-16-5-2E

0:	Interval		10/-i-b4	Grade	Coupling	Design Factors		ors
Size	Тор	Bottom			Coupling	Burst	Collapse	Tension
Surface casing		2001	24.0	04.0	CTO	2,950	1,370	244,000
8-5/8"	0'	300'	00' 24.0 J-55 STC	SIC	310	17.53	14.35	33.89
Prod casing		0.0051	45.5		1.70	4,810	4,040	217,000
5-1/2"	0' 6,035' 15,5 J-55 LTC		0' 6,035' 15.5 J-55 LTC		LIC	2.51	2.10	2.32

#### Assumptions:

- 1) Surface casing max anticipated surface press (MASP) = Frac gradient gas gradient
- 2) Prod casing MASP (production mode) = Pore pressure gas gradient
- 3) All collapse calculations assume fully evacuated casing w/ gas gradient
- 4) All tension calculations assume air weight

Frac gradient at surface casing shoe = 13.0 ppg
Pore pressure at surface casing shoe = 8.33 ppg
Pore pressure at prod casing shoe = 8.33 ppg
Gas gradient = 0.115 psi/ft

All casing shall be new or, if used, inspected and tested. Used casing shall meet or exceed API standards for new casing.

All casing strings shall have a minimum of 1 (one) centralizer on each of the bottom three (3) joints.

b. Cementing Design: Ute Tribal 2-16-5-2E

Job	Fill	Description	Sacks	ОН	Weight	Yield	
JOD		Description	ft <sup>3</sup>	Excess*	(ppg)	(ft³/sk)	
Conformation	300'	Class G w/ 2% CaCl	138	30%	15.8	1.17	
Surface casing 3	300	Class G W/ 2% CaCl		30 /0	10.0	14.17	
Prod casing	4.035'	Prem Lite II w/ 10% gel + 3%		30%	11.0	3.26	
Lead	4,035	KCI	909	30 /0	1150	5.20	
Prod casing	2 000'	50/50 Poz w/ 2% gel + 3%	363	30%	14.3	1.24	
Tail	2,000'	KCI	451	3076	17.5	1,24	

<sup>\*</sup>Actual volume pumped will be 15% over the caliper log

- Compressive strength of lead cement: 1800 psi @ 24 hours, 2250 psi @ 72 hours
- Compressive strength of tail cement: 2500 psi @ 24 hours

Hole Sizes: A 12-1/4" hole will be drilled for the 8-5/8" surface casing. A 7-7/8" hole will be drilled for the 5-1/2" production casing.

The 8-5/8" surface casing shall in all cases be cemented back to surface. In the event that during the primary surface cementing operation the cement does not circulate to surface, or if the cement level should fall back more than 8 feet from surface, then a remedial surface cementing operation shall be performed to insure adequate isolation and stabilization of the surface casing.

#### 5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

The operator's minimum specifications for pressure control equipment are as follows:

Ten Point Well Program & Thirteen Point Well Program Page 3 of 4

An 8" Double Ram Hydraulic unit with a closing unit will be utilized. Function test of BOP's will be check daily.

Refer to Exhibit C for a diagram of BOP equipment that will be used on this well.

# 6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

From surface to ±350 feet will be drilled with an air/mist system. The air rig is equipped with a 6 ½" blooie line that is straight run and securely anchored. The blooie line is used with a discharge less than 100 ft from the wellbore in order to minimize the well pad size. The blooie line is not equipped with an automatic igniter or continuous pilot light and the compressor is located less than 100 ft from the well bore due to the low possibility of combustion with the air dust mixture. The trailer mounted compressor (capacity of 2000 CFM) has a safety shut-off valve which is located 15 feet from the air rig. A truck with 70 bbls of water is on stand by to be used as kill fluid, if necessary. From about ±350 feet to TD, a fresh water system will be utilized. Clay inhibition and hole stability will be achieved with a KCl substitute additive. This additive will be identified in the APD and reviewed to determine if the reserve pit shall be lined. This fresh water system will typically contain Total Dissolved Solids (TDS) of less than 3000 PPM. Anticipated mud weight is 8.4 lbs/gal. If necessary to control formation fluids or pressure, the system will be weighted with the addition of bentonite gel, and if pressure conditions warrant, with barite

No chromate additives will be used in the mud system on Federal and/or Indian lands without prior BLM approval to ensure adequate protection of fresh aquifers.

No chemicals subject to reporting under SARA Title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completing of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completing of this well.

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

Newfield Production will **visually** monitor pit levels and flow from the well during drilling operations.

# 7. **AUXILIARY SAFETY EQUIPMENT TO BE USED:**

Auxiliary safety equipment will be a Kelly Cock, bit float, and a TIW valve with drill pipe threads.

#### 8. TESTING, LOGGING AND CORING PROGRAMS:

The logging program will consist of a Dual Induction, Gamma Ray and Caliper log from TD to base of surface casing @ 300' +/-, and a Compensated Neutron-Formation Density Log from TD to 3500' +-. A cement bond log will be run from PBTD to cement top. No drill stem testing or coring is planned for this well.

#### 9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:

No abnormal temperatures or pressures are anticipated. No hydrogen sulfide has been encountered or is known to exist from previous drilling in the area at this depth. Maximum anticipated

# 'APIWellNo:43047508140000'

Ten Point Well Program & Thirteen Point Well Program Page 4 of 4


bottomhole pressure will approximately equal total depth in feet multiplied by a 0.433 psi/foot gradient.

# 10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:


It is anticipated that the drilling operations will commence the second quarter of 2010, and take approximately seven (7) days from spud to rig release.


# 2-M SYSTEM


Blowout Prevention Equipment Systems




**EXHIBIT C** 







T					я	32F	o 2/	9	¥	8	ħ	7	- 1	0	1 w
	Surface Spud Drilling Weiting on Completion Producing Oil Well	Water Injection Well Dry Hole Temporarily Abandoned	Fugged & Abandoned Shut In Water Source Well Water Disposal Well	8	2	77.56	/.		2	E III	n	8	A Z	instruct	ĺ
Wells	Surface Spud Drilling Waiting on Completi Producing Oil Well Producing Gas Well	Water Injection Well Dry Hole Temporarily Abando	Fugged & Abandone Shut In Water Source Well Water Disposal Well	Outlines		4.5 43		*		- X - X - X	n	2	NEWFIELD  SAME ROCKY MOUNTAINS	Exhibit A Duchens & Unital Counter	
<b>S</b>				UnitOutlines	8 <u>1</u> 1		•3	+3	*3	50			VEWF	Duchens &	E at a
Š.	a 0 a • 4	. / ->	+ = 4 = 1	-	+2 r co.,	+3/ +1	-1	4.	*	2	8	R	~		COR 17th Dwale Suite 2000 Owner Colorado Michal Phare (2001 843-010)
-	ä	n	2	*	* 17		-	-1	•2	z =3	n	×		22	
	£	z	я	×	n A	144 144 14	•2 •2 •2 <b>•</b>		·1 .	i i			-		+
					x 1 2 3 8	·2 ·2 ·1	2 2 3 4 2 2 5	=	3+2	•# B	я	*		=	
7	9	ž II	ä	и	7 3	******	•I •I	-3	22	18E	t.	2		X 20 8	8
		74S.	a.	R 1	100	1444	/141/1	•1 •1 e1	·i ·i	(Q		•3	-	ń	-
			2	/	F. 18S-R	St.	101 el el	्ब्राच्युः   स्वन्तिः   स्वन्तिः	+3 "+3	5 .	·2 <sup>8</sup> -2	3		2.	
30	10	21	R	, n /:	2 4 3	A COLUMN TO THE STREET OF THE	1 2 X	43 45 4 <u>7</u> 4	+5	-1 -1	-2 -2 -2 -2 -2 -2 -2 -2	a			.
(0)		9	# 10	1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		12 + 2 - 2 x 3 2 + 2 + 2 x 3 2 + 2 \ 2 + 2 \ 2 + 2 \ 2 + 2 \ 2 + 2 \ 2 \	1 3250	1 42 93 45 0 42 42 42 4	14 4	N .4 202	8				
	, com		0	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 1 12 1 2 1 12 1 2 12 1	12/1 to 12/1 t	4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -	1 4 4 2 .		A Sea and and a sea of a sea o	8	5			
*	ė	0	×.2	2n 3 3	N.Y	lixii Lixii	** ** **	1 1 1 1	42 +2+3 42 +2+3		4 * 12 n	×		:	3
	F.	z	n		19.8		2 3 \₹ 2 3 3 4 2 3 4 4	100 of 62				-			
					22.23	34 4 3 6 14 14 15 14 14 15			1411	2 4 g	III 8	×	***		
	01	X S	2 ·2		3 3 3	20 00 00 00 00 00 00 00 00 00 00 00 00 0	144		1 27		19S-R	×			9
700		# 150	7 ±	1			3 11	7 2 2	1 2 1 1	7 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	7 • 7			13	
		4	4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1112		11	13世		1 2 2 2 E	(49)	8		F	
sa .	in in	1.55	2 - 1 - 2 - 2 - 3 - 2 - 3 - 2 - 3	material and a second a second and a second	28.1 1 22.1 1 23.1 28 21.2 28		2 \ 1. 1			2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	#	(100)		10
	96	2	2 .	8	4 4 4 4	ALIA PAST			# 1 6 A		**************************************	5	Τ.		74
	2	E	4 4 4	* · * · * · *	Ri i	Airi XI			1111		福克 多		_	+	
			*	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	NA.					1 2 2 2 1 2 2 2 2 2 2 4 3 3 3	00 00 m	8			2
**		2	n	21 2						1991	· 1 +2	2			=
	9	2.00	a	7 7 7	12 12 1				- V - 1	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	9 g	-		(4.)	
		S-R2		2 2	+	1444	12 4 4	1 7 1		1 4 4 4 2 2 3 3 4 4 1 4 4 2 8	4 LLL-3	. A		9	9
*	-	4 5	7.	#\ +-	-3				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2	·1	a	,	100	a
in.		11	8	g \	** 1	140		1 4 4		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	P	-		il-	
				-70	8 10		KA.	20 42 41 20 42 41		Over the state of	- B	a			*
•		2	2	·1 ·18 ·1	20	A C	70	170		1 1 1	* 1 × 8	5	w		*
9	=	ā	z	n	+1	T. C.	1 1 1 M				300	-			1580
		3	>		n /	% ← 4 ∏	2 /2 4 / 2 /2 4 / 2 /2 4 /	1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 4	34 44	1 42 1 1 1 n 2 1	, R		ill	ŭ
W	2	7 0	n n	8	8 8	# H ()	241	7 . 2		1 . 8 . 3 . 4	9.5	1 8		土	:
n	9	1 2	Í		z	,	1	1112	1 14	201	1 2 2	-4	KSW	1	-
		2	a.	n	а	- W		5 5	214		1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		-50		0



# NEWFIELD PRODUCTION COMPANY UTE TRIBAL 2-16-5-2E NW/NE SECTION 16, T5S, R2E UINTAH COUNTY, UTAH

#### ONSHORE ORDER NO. 1

# **MULTI-POINT SURFACE USE & OPERATIONS PLAN**

# 1. EXISTING ROADS

See attached Topographic Map "A"

To reach Newfield Production Company well location site Ute Tribal 2-16-5-2E located in the NW 1/4 NE 1/4 Section 16, T5S, R2E, Uintah County, Utah:

Proceed in a southeasterly direction out of Myton, approximately 16.9 miles to the junction of this road and an existing road to the northeast; proceed northeasterly approximately 1.6 miles to it's junction with an existing road to the northeast; proceed northeasterly approximately 7.0 miles to it's junction with an existing road to the southeast; proceed in a southeasterly directional approximately 2.0 miles to it's junction with the beginning of proposed access road; proceed in a southeasterly direction along the proposed access road approximately 11,790°; turn and proceed in a northwesterly direction approximately 2,620° to the proposed well location.

The aforementioned dirt oil field service roads and other roads in the vicinity are constructed out of existing native materials that are prevalent to the existing area they are located in and range from clays to a sandy-clay shale material.

The roads for access during the drilling, completion and production phase will be maintained at the standards required by the State of Utah, or other controlling agencies. This maintenance will consist of some minor grader work for smoothing road surfaces and for snow removal. Any necessary fill material for repair will be purchase and hauled from private sources.

# 2. PLANNED ACCESS ROAD

Approximately 14,410' of access road is proposed for the proposed well. See attached **Topographic Map "B"**.

The proposed access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%.

There will be barrow ditches and turnouts as needed along this road.

There are no fences encountered along this proposed road. There will be no new gates or cattle guards required.

All construction material for this access road will be borrowed material accumulated during construction of the access road.

#### 3. LOCATION OF EXISTING WELLS

Refer to Exhibit "B".

#### 4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

There are no existing facilities that will be used by this well.

It is anticipated that this well will be a producing oil well.

Upon construction of a tank battery, the well pad will be surrounded by a dike of sufficient capacity to contain at minimum 110% of the largest tank volume within the facility battery.

Tank batteries will be built to State specifications.

All permanent surface equipment will be painted Carlsbad. All facilities will be painted within six months of installation.

#### 5. LOCATION AND TYPE OF WATER SUPPLY

Newfield Production will transport water by truck from nearest water source as determined by a Newfield representative for the purpose of drilling the above mentioned well. The available water sources are as follows:

Johnson Water District Water Right: 43-7478

Neil Moon Pond

Water Right: 43-11787

Maurice Harvey Pond Water Right: 47-1358

Newfield Collector Well

Water Right: 41-3530 (A30414DV, contracted with the Duchesne County Conservancy District).

Please refer to the Monument Butte Field SOP. See Exhibit "A".

#### 6. SOURCE OF CONSTRUCTION MATERIALS

All construction material for this location shall be borrowed material accumulated during construction of the location site and access road.

A mineral material application is not required for this location.

#### 7. METHODS FOR HANDLING WASTE DISPOSAL

A small reserve pit (90' x 40' x 8' deep, or less) will be constructed from native soil and clay materials. The reserve pit will receive the processed drill cutting (wet sand, shale & rock) removed from the wellbore. Any drilling fluids, which do accumulate in the pit as a result of shale-shaker carryover, cleaning of the sand trap, etc., will be promptly reclaimed. All drilling fluids will be fresh water based, typically containing Total Dissolved Solids of less than 3000 PPM. No potassium chloride, chromates, trash, debris, nor any other substance deemed hazardous will be placed in this pit. Therefore, it is proposed that no synthetic liner be required in the reserve pit. However, if upon constructing the pit there is insufficient fine clay and silt present, a liner will be used for the purpose of reducing water loss through percolation.

Newfield requests approval that a flare pit not be constructed or utilized on this location.

A portable toilet will be provided for human waste.

A trash basket will be provided for garbage (trash) and hauled away to an approved disposal site at the completion of the drilling activities.

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E), State of Utah approved surface disposal facilities, or Federally approved surface disposal facilities.

### 8. ANCILLARY FACILITIES

There are no ancillary facilities planned for at the present time and none foreseen in the near future.

#### 9. WELL SITE LAYOUT

See attached Location Layout Sheet.

#### Fencing Requirements

All pits will be fenced according to the following minimum standards:

- a) A 39-inch net wire shall be used with at least one strand of barbed wire on top of the net.
- b) The net wire shall be no more than two (2) inches above the ground. The barbed wire shall be three (3) inches above the net wire. Total height of the fence shall be at least forty-two (42) inches.
- c) Corner posts shall be centered and/or braced in such a manner to keep tight at all times
- d) Standard steel, wood or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than sixteen (16) feet.
- e) All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

The reserve pit fencing will be on three (3) sides during drilling operations and on the fourth side when the rig moves off location. Pits will be fenced and maintained until cleanup.

Existing fences to be crossed by the access road will be braced and tied off before cutting so as to prevent slacking in the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and upon completion of construction the fence shall be repaired to BLM specifications.

#### 10. PLANS FOR RESTORATION OF SURFACE:

#### a) Producing Location

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, material, trash and junk not required for production.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximated natural contours. Weather permitting, the reserve pit will be

reclaimed within one hundred twenty (120) days from the date of well completion. Before any dirt work takes place, the reserve pit must have all fluids and hydrocarbons removed.

#### b) Dry Hole Abandoned Location

At such time as the well is plugged and abandoned, the operator shall submit a subsequent report of abandonment and the State of Utah will attach the appropriate surface rehabilitation conditions of approval.

11. SURFACE OWNERSHIP - Ute Tribe (Proposed location and access road leading to).

#### 12. OTHER ADDITIONAL INFORMATION

The Archaeological Resource Survey and Paleontological Resource Survey for this area are attached. MOAC Report #09-081b, 8/4/09. Paleontological Resource Survey prepared by, SWCA, 7/23/09. See attached report cover pages, Exhibit "D".

Newfield Production Company requests 14,410' of disturbed area be granted to allow for construction of the planned access road. Refer to Topographic Map "B". A permanent width of 30' and a running surface of 18' is proposed for the planned access road. The construction phase of the planned access road will last approximately (5) days. The planned access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%. There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road. There are no fences encountered along this proposed road. There will be no new gates or cattle guards required. All construction material for this access road will be borrowed material accumulated during construction of the access road.

Newfield Production Company requests 810' of disturbed area be granted to allow for construction of the proposed surface gas lines. It is proposed that the disturbed area will temporarily be 50' wide to allow for construction of a 10" or smaller gas gathering line, and a 3" poly fuel gas line, with a permanent width of 30' upon completion of the proposed gas lines. The construction phase of the proposed gas lines will last approximately (5) days. Both lines will tie in to the existing pipeline infrastructure. **Refer to Topographic Map "C."** 

Newfield Production Company requests 810' of disturbed area be granted to allow for construction of the proposed water lines. It is proposed that the disturbed area will temporarily be 50' wide to allow for construction of a buried 3" steel water injection line and a buried 3" poly water return line, with a permanent width of 30' upon completion of the proposed water return line. The construction phase of the proposed water lines will last approximately (5) days. **Refer to Topographic Map "C."** In the event that the proposed well is converted to a water injection well, a separate injection permit will be applied for through the proper agencies.

- a) Newfield Production Company is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, Newfield is to immediately stop work that might further disturb such materials and contact the Authorized Officer.
- b) Newfield Production will control noxious weeds along rights-of-way for roads, pipelines, well sites or other applicable facilities. On State administered land it is required that a Pesticide Use Proposal shall be submitted and given approval prior to the application of herbicides or other possible hazardous chemicals.
- c) Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on State Lands after the conclusion of drilling operations or at any other time without State authorization. However, if State authorization is obtained, it is only a

temporary measure to allow time to make arrangements for permanent storage on commercial facilities.

#### **Additional Surface Stipulations**

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws and regulations, Onshore Oil and Gas Orders, the approved plan of operations and any applicable Notice to Lessees. A copy of these conditions will be furnished to the field representative to ensure compliance.

#### Hazardous Material Declaration

Newfield Production Company guarantees that during the drilling and completion of the Ute Tribal 2-16-5-2E, Newfield will not use, produce, store, transport or dispose 10,000# annually of any of the hazardous chemicals contained in the Environmental Protection Agency's consolidated list of chemicals subject to reporting under Title III Superfund Amendments and Reauthorization Act (SARA) of 1986. Newfield also guarantees that during the drilling and completion of the Ute Tribal 2-16-5-2E, Newfield will use, produce, store, transport or dispose less than the threshold planning quantity (T.P.Q.) of any extremely hazardous substances as defined in 40 CFR 355.

A complete copy of the approved APD, if applicable, shall be on location during the construction of the location and drilling activities.

Newfield Production Company or a contractor employed by Newfield Production shall contact the State office at (801) 722-3417, 48 hours prior to construction activities.

The State office as well as the Ute Tribe Energy and Mineral Department shall be notified upon site completion prior to moving on the drilling rig.

# 13. LESSEE'S OR OPERATOR'S REPRENSENTATIVE AND CERTIFICATION:

#### Representative

Name:

Tim Eaton

Address:

Newfield Production Company

Route 3, Box 3630

Myton, UT 84052

Telephone:

(435) 646-3721

#### Certification

Please be advised that Newfield Production Company is considered to be the operator of well #2-16-5-2E, NW/NE Section 16, T5S, R2E, Uintah County, Utah and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by, Federal Bond #WYB000493.


I hereby certify that the proposed drill site and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Newfield Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of the 18 U.S.C. 1001 for the filing of a false statement.


11/12/09

Date

Mandie Crozier Regulatory Specialist


Newfield Production Company





SURVEYED BY: C.M.	DATE SURVEYED:	07-02-09	$\wedge Tri$
DRAWN BY: F.T.M.	DATE DRAWN:	07-03-09	/ Land
SCALE: 1" = 50'	REVISED:		

ackslash Tri State (435) 781–2501 Land Surveying, Inc. 180 North vernal ave. Vernal, Utah 84078




# **Newfield Production Company Proposed Site Facility Diagram**

Ute Tribal 2-16-5-2E NW/NE Sec. 16, T5S, R2E

Uintah County, Utah

2OG0005609



CLASS I REVIEW OF NEWFIELD EXPLORATION'S PROPOSED WELL LOCATIONS UTE TRIBAL #9-8-5-2E #16-8-5-2E, #1-16-5-2E, #2-16-5-2E, #3-16-5-2E, UINTAH COUNTY, UTAH

Ву:

Jacki A. Montgomery

Prepared for:

Ute Indian Tribe
Uintah and Ouray Agency

Prepared Under Contract With:

Newfield Exploration Company Rt. 3 Box 3630 Myton, Utah 84052

Submitted By:

Montgomery Archaeological Consultants, Inc. P.O. Box 219 Moab, Utah 84532

MOAC Report No. 09-081b

August 4, 2009

United States Department of Interior (FLPMA)
Permit No. 09-UT-60122

Ute Tribal Permit No. A09-363

# Paleontological Assessment Preliminary Report for Newfield Well 2-16-5-2E and Associated Infrastructure

# Prepared for

Newfield Exploration Company 10530 South County Road #33 Duchesne County, Utah 84052

and

Ute Indian Tribe
Energy and Minerals Department
P.O. Box 70
988 S. 7500 E., Annex Building
Fort Duchesne, UT 84026

# Prepared by:

Benjamin J. Burger, Ph.D. and Paul C. Murphey, PhD.

SWCA Environmental Consultants 2028 West 500 North Vernal, UT 84078-2645 Phone: 435.789.9388 Fax: 435.789.9385

www.swca.com

July 23rd, 2009



March 2, 2010

State of Utah, Division of Oil, Gas & Mining ATTN: Diana Mason PO Box 145801 Salt Lake City, UT 84114-5801

#2184

RE:

Exception Location
Ute Tribal 2-16-5-2E
T5S R2E, Section 2! NWNE
675' FNL 1628' FEL
Uintah County, Utah

Dear Ms. Mason;

Pursuant to Rule 649-3-3 of the Oil & Gas Rules and Regulations of the State of Utah, Newfield Production Company ("NPC") hereby requests an exception location for the drilling of the captioned well. The proposed drillsite for this well is located 164' east of the drilling window required by Rule R649-3-2, which requires a well to be located in the center of a forty (40) acre quarter-quarter section, or a substantially equivalent lot or tract, with a tolerance of two hundred (200) feet in any direction from the center.

The attached plat depicts the proposed location and illustrates the deviation from the drilling window. The requested location has been chosen to avoid cactus habitat.

Please note the drillsite and all surrounding acreage within a four hundred sixty (460') foot radius is owned by NPC and The Ute Indian Tribe. You will find a copy of The Ute Indian Tribe's consent to this exception location attached to this letter.

If you have any questions or require further information, please do not hesitate to contact the undersigned at 303-383-4137 or by email at <a href="mailto:awild@newfield.com">awild@newfield.com</a>. Your consideration of this matter is greatly appreciated.

Sincerely,

Alan Wild Land Associate

Attachment

RECEIVED

MAR 08 2010

DIV. OF OIL, GAS & MINING



November 18, 2009

Larry Love Ute Indian Tribe Energy Minerals Dept. P.O. Box 70 Fort Duchesne, UT 84026

Re:

Exception Location Ute Tribal 2-16-5-2E Uintah County, Utah

Dear Mr. Love:

In accordance with Section 3.1.D of the Exploration & Development Agreement dated December 22, 2006 among the Ute Indian Tribe, Newfield Production Company and the Ute Distribution Corporation, please be advised that Newfield is requesting approval from the Utah Division of Oil, Gas & Mining for the following well:

Ute Tribal 2-16-5-2E T5S R2E, Section 16: NWNE 675' FNL 1628' FEL Uintah County, Utah

The location of this well is outside the drilling window as required by State of Utah R649-3-2. The location was chosen to avoid cactus habitat. Therefore, it is necessary to obtain your written concurrence with this exception location as a leasehold owner of the drillsite and all lands within 460' of the drillsite.

Enclosed you will find a plat showing the location of the above referenced well. If you are in agreement to this location, please verify your consent by signing and dating where indicated on page 2 of this letter and return to my attention as soon as possible. You may mail your consent to the letterhead address, email to awild@newfield.com or fax to 303-893-0103.

If you have any questions or need further information, please do not hesitate to contact me at 303-382-4444 or by email at <a href="mailto:awild@newfield.com">awild@newfield.com</a>. I appreciate your prompt attention to this matter.

Sincerely,

Alan D. Wild Land Associate

RECEIVED

MAR 08 2010

Return to:

Newfield Production Company

ATTN: Alan Wild

awild@newfield.com email

303-893-0103 fax

Re:

Exception Location Ute Tribal 2-16-5-2E TSS R2E, Section 16: NWNE 675' FNL 1628' FEL

Uintah County, Utah


Please be advised The Ute Indian Tribe does not have an objection to the proposed location of the aforementioned well.

By: Jarry (1)

Date: 3/01/2010

ove, Energy + Mixerals Director

Print Name and Title





March 2, 2010

State of Utah, Division of Oil, Gas & Mining ATTN: Diana Mason PO Box 145801 Salt Lake City, UT 84114-5801

#2184

RE:

Exception Location
Ute Tribal 2-16-5-2E
T5S R2E, Section 2! NWNE
675' FNL 1628' FEL
Uintah County, Utah

Dear Ms. Mason;

Pursuant to Rule 649-3-3 of the Oil & Gas Rules and Regulations of the State of Utah, Newfield Production Company ("NPC") hereby requests an exception location for the drilling of the captioned well. The proposed drillsite for this well is located 164' east of the drilling window required by Rule R649-3-2, which requires a well to be located in the center of a forty (40) acre quarter-quarter section, or a substantially equivalent lot or tract, with a tolerance of two hundred (200) feet in any direction from the center.

The attached plat depicts the proposed location and illustrates the deviation from the drilling window. The requested location has been chosen to avoid cactus habitat.

Please note the drillsite and all surrounding acreage within a four hundred sixty (460') foot radius is owned by NPC and The Ute Indian Tribe. You will find a copy of The Ute Indian Tribe's consent to this exception location attached to this letter.

If you have any questions or require further information, please do not hesitate to contact the undersigned at 303-383-4137 or by email at <a href="mailto:awild@newfield.com">awild@newfield.com</a>. Your consideration of this matter is greatly appreciated.

Sincerely,

Alan Wild Land Associate

Attachment

RECEIVED

MAR 08 2010

DIV. OF OIL, GAS & MINING



November 18, 2009

Larry Love Ute Indian Tribe Energy Minerals Dept. P.O. Box 70 Fort Duchesne, UT 84026

Re:

Exception Location Ute Tribal 2-16-5-2E Uintah County, Utah

Dear Mr. Love:

In accordance with Section 3.1.D of the Exploration & Development Agreement dated December 22, 2006 among the Ute Indian Tribe, Newfield Production Company and the Ute Distribution Corporation, please be advised that Newfield is requesting approval from the Utah Division of Oil, Gas & Mining for the following well:

Ute Tribal 2-16-5-2E T5S R2E, Section 16: NWNE 675' FNL 1628' FEL Uintah County, Utah

The location of this well is outside the drilling window as required by State of Utah R649-3-2. The location was chosen to avoid cactus habitat. Therefore, it is necessary to obtain your written concurrence with this exception location as a leasehold owner of the drillsite and all lands within 460' of the drillsite.

Enclosed you will find a plat showing the location of the above referenced well. If you are in agreement to this location, please verify your consent by signing and dating where indicated on page 2 of this letter and return to my attention as soon as possible. You may mail your consent to the letterhead address, email to awild@newfield.com or fax to 303-893-0103.

If you have any questions or need further information, please do not hesitate to contact me at 303-382-4444 or by email at <a href="mailto:awild@newfield.com">awild@newfield.com</a>. I appreciate your prompt attention to this matter.

Sincerely,

Alan D. Wild Land Associate

RECEIVED

MAR 08 2010

Return to:

Newfield Production Company

ATTN: Alan Wild

awild@newfield.com email

303-893-0103 fax

Re:

Exception Location Ute Tribal 2-16-5-2E TSS R2E, Section 16: NWNE 675' FNL 1628' FEL

Uintah County, Utah

Please be advised The Ute Indian Tribe does not have an objection to the proposed location of the aforementioned well.

By: Jarry (1)

Date: 3/01/2010

ove, Energy + Mixerals Director

Print Name and Title


# WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED:	11/13/2009	API NO. ASSIGNED:	43047508140000
WELL NAME:	Ute Tribal 2-16-5-2E		
OPERATOR:	NEWFIELD PRODUCTI	ON COMPANY (N2695) PHONE NUMBER:	435 646-4825
CONTACT:	Mandie Crozier		
PROPOSED LOCATION:	NWNE 16 050S 020E	Permit Tech Review:	
SURFACE:	0675 FNL 1628 FEL	Engineering Review:	
воттом:	0675 FNL 1628 FEL	Geology Review:	
COUNTY:	UINTAH		
LATITUDE:	40.05483	LONGITUDE:	-109.76960
UTM SURF EASTINGS:	604947.00	NORTHINGS:	4434358.00
FIELD NAME:	UNDESIGNATED		
LEASE TYPE:	2 - Indian		
LEASE NUMBER:	20G0005609	PROPOSED PRODUCING FORMATION(S): GREEN RI	VER
SURFACE OWNER:	2 - Indian	COALBED METHANE:	NO
RECEIVED AND/OR REVIEW	/ED:	LOCATION AND SITING:	
✓ PLAT		R649-2-3.	
<b>☑</b> Bond: FEDERAL - WYB00	00493	Unit:	
Potash		R649-3-2. General	
Oil Shale 190-5			
Oil Shale 190-3		✓ R649-3-3. Exception	
Oil Shale 190-13		Drilling Unit	
<b>✓</b> Water Permit: 43-7478		<b>Board Cause No:</b> R649-3-3	
RDCC Review:		Effective Date:	
Fee Surface Agreement	t	Siting:	
Intent to Commingle		R649-3-11. Directional Drill	
Commingling Approved			
Comments: Presite Con IRR SEC:	mpleted		

Stipulations:

1 - Exception Location - bhill 4 - Federal Approval - dmason 23 - Spacing - dmason

API Well No: 43047508140000



# State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

# Permit To Drill

\*\*\*\*\*\*

Well Name: Ute Tribal 2-16-5-2E API Well Number: 43047508140000 Lease Number: 2OG0005609

Surface Owner: INDIAN
Approval Date: 3/16/2010

#### **Issued to:**

NEWFIELD PRODUCTION COMPANY, Rt 3 Box 3630, Myton, UT 84052

#### **Authority:**

Pursuant to Utah Code Ann. §40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of R649-3-3. The expected producing formation or pool is the GREEN RIVER Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

#### **Duration:**

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

#### **Exception Location:**

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted.

#### General:

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

#### **Conditions of Approval:**

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

API Well No: 43047508140000

# **Notification Requirements:**

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

• Within 24 hours following the spudding of the well – contact Carol Daniels at 801-538-5284 (please leave a voicemail message if not available)

OR

submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website at https://oilgas.ogm.utah.gov

# **Reporting Requirements:**

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited to:

- Entity Action Form (Form 6) due within 5 days of spudding the well
- Monthly Status Report (Form 9) due by 5th day of the following calendar month
- Requests to Change Plans (Form 9) due prior to implementation
- Written Notice of Emergency Changes (Form 9) due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) due prior to implementation
- Report of Water Encountered (Form 7) due within 30 days after completion
- Well Completion Report (Form 8) due within 30 days after completion or plugging

**Approved By:** 

Gil Hunt

Associate Director, Oil & Gas

Die Hunt

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MININ	G	5.LEASE DESIGNATION AND SERIAL NUMBER: 20G0005609
	RY NOTICES AND REPORTS OF	_	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ute Tr
Do not use this form for proposition-hole depth, reenter plu DRILL form for such proposals.	sals to drill new wells, significantly deepen exisugged wells, or to drill horizontal laterals. Use <i>i</i>	sting wells below current APPLICATION FOR PERMIT TO	7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: UTE TRIBAL 2-16-5-2E
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COM	IPANY		<b>9. API NUMBER:</b> 43047508140000
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT, 84	<b>PHONE N</b> 4052 435 646-4825 Ext	NUMBER:	9. FIELD and POOL or WILDCAT: UNDESIGNATED
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0675 FNL 1628 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NWNE Section: 16	IP, RANGE, MERIDIAN: Township: 05.0S Range: 02.0E Meridian: U		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE N	NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
✓ NOTICE OF INTENT	□ ACIDIZE □	ALTER CASING	☐ CASING REPAIR
Approximate date work will start: 3/6/2011	☐ CHANGE TO PREVIOUS PLANS ☐ ☐ CHANGE WELL STATUS ☐	CHANGE TUBING  COMMINGLE PRODUCING FORMATIONS	☐ CHANGE WELL NAME ☐ CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	□ NEW CONSTRUCTION
Date of Work Completion:	☐ OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	☐ TUBING REPAIR ☐	SIDETRACK TO REPAIR WELL VENT OR FLARE	☐ TEMPORARY ABANDON ☐ WATER DISPOSAL
DRILLING REPORT	☐ WATER SHUTOFF ☐	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	□ WILDCAT WELL DETERMINATION □	OTHER	OTHER:
	DMPLETED OPERATIONS. Clearly show all pertine TO extend the Application for Perr		olumes, etc.
			Approved by the Utah Division of Oil, Gas and Mining
		_	03/15/2011
		Di	ate: 03/13/2011
		В	y: Dody July
			7/3
NAME (PLEASE PRINT) Mandie Crozier	PHONE NUMBER 435 646-4825	TITLE Regulatory Tech	
SIGNATURE	133 0 10 1323	DATE 3/14/2011	



# The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

# Request for Permit Extension Validation Well Number 43047508140000

**API:** 43047508140000 **Well Name:** UTE TRIBAL 2-16-5-2E

Location: 0675 FNL 1628 FEL QTR NWNE SEC 16 TWNP 050S RNG 020E MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

**Date Original Permit Issued:** 3/16/2010

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

and revision I one wing is a encounse of some items related to the application, which should be verifical
<ul> <li>If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes No</li> </ul>
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?  Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?   Yes  No
• Has the approved source of water for drilling changed?   Yes  No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No

**Signature:** Mandie Crozier **Date:** 3/14/2011

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY

Sundry Number: 23712 API Well Number: 43047508140000

			FORM 9
	STATE OF UTAH	•	
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MINI		5.LEASE DESIGNATION AND SERIAL NUMBER: 20G0005609
SUNDF	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE	
	oposals to drill new wells, significantly do reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well		8. WELL NAME and NUMBER: UTE TRIBAL 2-16-5-2E	
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	OMPANY		<b>9. API NUMBER:</b> 43047508140000
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT		PHONE NUMBER: Ext	9. FIELD and POOL or WILDCAT: UNDESIGNATED
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0675 FNL 1628 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNS	HIP, RANGE, MERIDIAN: 16 Township: 05.0S Range: 02.0E Meridi	an: U	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
3/16/2012	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN [	FRACTURE TREAT	New construction
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	l —		
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date or Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	L TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all	pertinent details including dates, o	lepths, volumes, etc.
Newfield proposes	to extend the Application for	Permit to Drill this well	Approved by the
	for one year.		Utah Division of Oil, Gas and Mining
			Date: March 12, 2012
			By: Bacylll
			<b>Q</b> Q
NAME (PLEASE PRINT)	PHONE NUMBE		
Mandie Crozier	435 646-4825	Regulatory Tech	
SIGNATURE N/A		<b>DATE</b> 3/7/2012	

Sundry Number: 23712 API Well Number: 43047508140000



# The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY

# Request for Permit Extension Validation Well Number 43047508140000

**API:** 43047508140000 **Well Name:** UTE TRIBAL 2-16-5-2E

Location: 0675 FNL 1628 FEL QTR NWNE SEC 16 TWNP 050S RNG 020E MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 3/16/2010

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

i onowing to a onocknot of boing foliated to the application, which block be vorticed.
• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of thi proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes</li> <li>No</li> </ul>
• Has the approved source of water for drilling changed? 🔘 Yes 📵 No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well? 🌘 Yes 🔘 No
Signature: Mandie Crozier Date: 3/7/2012

RECEIVED: Mar. 07, 2012

Sundry Number: 35341 API Well Number: 43047508140000

			FORM 9			
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: 20G0005609			
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE					
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME:					
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: UTE TRIBAL 2-16-5-2E					
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	9. API NUMBER: 43047508140000					
<b>3. ADDRESS OF OPERATOR:</b> Rt 3 Box 3630 , Myton, UT, 84052  435 646-4825 Ext			9. FIELD and POOL or WILDCAT: UNDESIGNATED			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0675 FNL 1628 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWNE Section: 16 Township: 05.0S Range: 02.0E Meridian: U			COUNTY: UINTAH			
			STATE: UTAH			
11. CHEC	K APPROPRIATE BOXES TO INDICATE I	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF ACTION				
	ACIDIZE	ALTER CASING	CASING REPAIR			
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME			
3/16/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE			
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION			
Date of Work Completion:						
	☐ ☐ OPERATOR CHANGE ☐	PLUG AND ABANDON	L PLUG BACK			
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION			
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	L TEMPORARY ABANDON			
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL			
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION			
Nopel Cause	WILDCAT WELL DETERMINATION	OTHER	OTHER:			
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all p	ertinent details including dates, o	lepths, volumes, etc.			
I .	to extend the Application for P		Approved by the			
	• •		Utah Division of			
			Oil, Gas and Mining			
			Date: March 12, 2013			
			By: Bacylll			
NAME (DI EASE COURT	<b>B</b>	TITLE				
NAME (PLEASE PRINT) Mandie Crozier	<b>PHONE NUMBER</b> 435 646-4825	TITLE Regulatory Tech				
SIGNATURE N/A		<b>DATE</b> 3/5/2013				

Sundry Number: 35341 API Well Number: 43047508140000



# The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

# Request for Permit Extension Validation Well Number 43047508140000

API: 43047508140000 Well Name: UTE TRIBAL 2-16-5-2E

Location: 0675 FNL 1628 FEL QTR NWNE SEC 16 TWNP 050S RNG 020E MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 3/16/2010

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?      Yes      No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?  Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?  Yes No
• Has the approved source of water for drilling changed?   Yes  No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No
nature: Mandie Crozier Date: 3/5/2013

Signature: Mandie Crozier **Date:** 3/5/2013

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY

Sundry Number: 47877 API Well Number: 43047508140000

			FORM 9			
STATE OF UTAH			I SKIII S			
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: 2OG0005609			
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE			
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME:			
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: UTE TRIBAL 2-16-5-2E					
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	<b>9. API NUMBER:</b> 43047508140000					
<b>3. ADDRESS OF OPERATOR:</b> Rt 3 Box 3630 , Myton, UT, 84052  435 646-4825 Ext			9. FIELD and POOL or WILDCAT: UNDESIGNATED			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0675 FNL 1628 FEL		COUNTY: UINTAH				
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWNE Section: 16 Township: 05.0S Range: 02.0E Meridian: U			STATE: UTAH			
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA			
TYPE OF SUBMISSION						
	ACIDIZE	ALTER CASING	CASING REPAIR			
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME			
3/16/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE			
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION			
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK			
		1				
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION			
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON			
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL			
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION			
	WILDCAT WELL DETERMINATION	OTHER	OTHER:			
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all	pertinent details including dates, o	depths, volumes, etc.			
Newfield proposes	to extend the Application for F	Permit to Drill this well.				
			Utah Division of Oil, Gas and Mining			
			Date: February 18, 2014			
			By: Bacylll			
NAME (PLEASE PRINT) Mandie Crozier	PHONE NUMBER	TITLE Regulatory Tech				
		DATE				
N/A		2/13/2014				

Sundry Number: 47877 API Well Number: 43047508140000



# The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

# Request for Permit Extension Validation Well Number 43047508140000

**API:** 43047508140000 **Well Name:** UTE TRIBAL 2-16-5-2E

Location: 0675 FNL 1628 FEL QTR NWNE SEC 16 TWNP 050S RNG 020E MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 3/16/2010

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?  Yes  No
• Has the approved source of water for drilling changed?   Yes  No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No
meture. Mandia Craniar Data: 2/42/2044

Signature: Mandie Crozier Date: 2/13/2014

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY



# State of Utah

**DEPARTMENT OF NATURAL RESOURCES** 

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

August 27, 2014

Mandie Crozier Newfield Production Company Rt. 3 Box 3630 Myton, UT 84052

•

Re: APDs Rescinded for Newfield Production Company, Uintah County

Dear Ms. Crozier:

Enclosed find the list of APDs that you asked to be rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded, effective August 26, 2014.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

**Environmental Scientist** 

cc:

Well File

Bureau of Land Management, Vernal



43-047-40229 UTE TRIBAL 5-6-5-2E 43-047-39704 UTE TRIBAL 13-5-5-2E 43-047-50813 UTE TRIBAL 2-7-5-2E 43-047-50814 UTE TRIBAL 1-16-5-2E 43-047-50815 UTE TRIBAL 2-16-5-2E 43-047-50816 UTE TRIBAL 8-16-5-2E 43-047-51113 UTE TRIBAL 14-9-5-2E Sundry Number: 54826 API Well Number: 43047508140000

			FORM 9		
	FORW 9				
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: 20G0005609		
SUNDF	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE				
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME:				
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: UTE TRIBAL 2-16-5-2E				
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	9. API NUMBER: 43047508140000				
3. ADDRESS OF OPERATOR: PHONE NUMBER: Rt 3 Box 3630 , Myton, UT, 84052 435 646-4825 Ext			9. FIELD and POOL or WILDCAT: UNDESIGNATED		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0675 FNL 1628 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWNE Section: 16 Township: 05.0S Range: 02.0E Meridian: U			COUNTY: UINTAH		
			STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDICATE I	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
8/26/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	New construction		
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION		
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	LI TEMPORARY ABANDON		
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL		
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION		
	☐ WILDCAT WELL DETERMINATION ✓	OTHER	OTHER: Rescind APD		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  Newfield requests that the above mentioned APD be rescinded.  Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 27, 2014  NAME (PLEASE PRINT)  PHONE NUMBER TITLE					
Mandie Crozier	435 646-4825	Regulatory Tech			
SIGNATURE N/A		<b>DATE</b> 8/26/2014			